


$OX-188T(BZ)$

局部视图 A
比例 2 : 5




DBG-320(该参数需 ≥ 950)

OX-188T

OX188T.1-4

Technical drawing of a stepped shaft (Figure 1.10). The shaft has a total length of 360 mm. It consists of three main sections: a left section with a diameter of 4 mm and a length of 114 mm, a middle section with a diameter of 135 mm and a length of 135 mm, and a right section with a diameter of 224 mm and a length of 224 mm. The drawing shows the shaft in a perspective view with a dashed line indicating the center axis. The dimensions are labeled as follows: 1.1 (top left), 4 (bottom left), 114 (bottom left), 135 (bottom middle), 224 (bottom right), and 360 (bottom center).





1. 边角去毛刺, 未注明倒角为 $0.5 \sim 1 \times 45^\circ$;
2. 表面镀锌处理;
3. 完成后摆放注意弯曲变形及表面挤压不平等缺陷;
4. 图中各参数根据指令确定, 注轴杆上的销孔根据指令确定。

借(通)用件登记
旧底图总号
底图总号
签 字
日 期

						Q235A	宁波奥德普电梯部件有限公司		
标记	处数	分 区	文件更改	签 名	年月日				
设 计			标准化				阶段标记	重量	比例
校 对									
审 核							1.46	4:5	
工 艺			批 准			版本:			
OX188T.1-4									

GB/T 1804-

6.3



						Q235A	宁波奥德普电梯部件有限公司			
标记	处数	分	区	文件更改	签名		年月日			
设计				标准化				阶段标记	重量	比例
校对										
审核								1.25	1:1	
工艺				批准			版本:			
							0X188T.2-1			

