


OX300A

80009323 OX-300A涨紧装置 A=320 B=22 240-8 重晶石18kg 本色RAL6005 全英文 昆山通祐 P1-3

基本尺寸	0~6	6~30	30~120	120~400	400~1000	1000~2000	2000~4000
公差	0.1	0.2	0.3	0.5	0.8	1.2	2.0



配重状态	配重材质	D	E	F	G
16kg	铸铁	260	55	250	25
30kg		250	70	275	35
16kg	重晶石	270	100	265	50
30kg		300	140	305	70

技术说明
1.涨紧轮和摇杆组件应转动顺畅、灵活、无卡滞现象；
2.图中A尺寸可以适当进行调整,常规可配尺寸有：305、365、380、420、435；
3.图中绳轮根据限速器匹配选用，可装在摇杆的正反侧使用；
4.开关组件可按实际需要现场调整安装；
5.本图配重按18kg重晶石形式绘制，可根据实际使用状态按表单选用等。



6	GB/T 97.1-1985	平垫圈5	2		0.00	0	
5	OX300A.4	开关组件	1		0.19	0.19	
4	OX300A.2	安装底板组件	1		0.75	0.75	
3	GB/T 894.2-1986	轴用挡圈22	1		1.34	1.34	
2	OX300A.3	摇杆组件	1		1.05	1.05	
1	OX300.3(S)	绳轮组件	1		4.29	4.29	
序号	代 号	名 称	数量	材料说明	重量	总重	备注

				总装图				宁波奥德普电梯部件有限公司							
								涨紧装置							
标记		处数		分 区		文件更改号		签 名		年、月、日					
设 计						标准化				阶段标记		重量		比例	
校 对															
审 核												26.13		1:4	
工 艺						批 准				共 张		第 张			
														OX300A	


OX300A.3

80009323 OX-300A涨紧装置 A=320 B=22 240-8 重晶石18kg 本色RAL6005 全英文 昆山通祐 P2

基本尺寸	0~6	6~30	30~120	120~400	400~1000	1000~2000	2000~4000
公差	0.1	0.2	0.3	0.5	0.8	1.2	2.0



技术说明
1. 件1与件2采用电焊连接, 焊接高度为3mm, 要求焊接表面平整无漏焊及虚焊现象;
2. 焊接后清理焊渣, 表面喷涂色漆, 颜色按公司标准, 特殊按指令;
3. 喷涂后, 在装配前需对Φ22摇杆轴套孔作铰孔处理, 确保尺寸要求。



6	GB/T 818—2000	6十字盘头螺钉M5×15	2		0.00	0	
5	GB/T 93—1987	弹性垫圈5	2		0.00	0	
4	GB/T 97.1—1985	平垫圈5	2		0.00	0	
3	OX300A.3—2	开关打板	1	Q235A/3.0	0.04	0.04	
2	OX300.2—2	轴套	1	20# /35	0.10	0.1	
1	OX300A.3—1(西奥)	摇杆杆件	1	Q235A/6.0	0.70	0.7	
序号	代 号	名 称	数量	材料说明	重量	总重	备注
标记	处数	分 区	文件更改号	签 名	年、月、日		
设 计			标准化				
校 对							
审 核							
工 艺			批 准				

宁波奥德普电梯部件有限公司


摇杆组件

OX300A.3



OX300.3-3

基本尺寸	0~6	6~30	30~120	120~400	400~1000	1000~2000	2000~4000
公差	0.1	0.2	0.3	0.5	0.8	1.2	2.0

80009323 OX-300A涨紧装置 A=320 B=22 240-8 重晶石18kg 本色RAL6005 全英文 昆山通祐 P3



全部 $\sqrt{6.3}$



技术说明
1.边角去毛刺，未注明倒角为0.3×45°；
2.表面镀锌处理。

借(通)用件登记

旧底图总号

底图总号

签 字

日 期

						20#/Φ20			宁波奥德普电梯部件有限公司			
									衬套			
标记	处数	分 区	文件更改号	签 名	年、月、日	OX300.3-3						
设 计			标准化					阶段标记			重量	比例
校 对												
审 核									0.01	6:1		
工 艺			批 准			共 1 张			第 1 张			