




8		
>50-120	>120-400	>400
±20'	±10'	±5'

[illegible]

作业1



编码示例: Y1369801.19G04135-04136

1	YPF13698A01	组件		配方未需要注明: 接线系统位置、线距、P+0值、制式电压、导线面积、导线名称	
序号	代 号	材 料	重 量	说 明	
D				临时用图	
C					
B					
A					
版本	标记	通知号	签 名	日 期	更改内容及原因
设 计		10.31	比例 1:10	图幅 A3	立Joylive·巨立电梯股份有限公司
校 对			共 1 页 第 1 页		
标准化					
审 批					
			安全钳操纵系统		YPF13698A

GB/T 1804-


80011430 0X-188T安全联动机构(提拉杆L=300 左置) DBG=见备注 C=192 L3=260 中英文 巨立电梯 P2



- | | | | | | | | | | |
|------------------------|--|--|--|-------|--|---------|---------------|-----|------------|
| | | | | | | Q235A | 宁波奥德普电梯部件有限公司 | | |
| | | | | | | | | | |
| 标记 处数 分 区 文件更改 签 名 年月日 | | | | | | | 长轴杆 | | |
| 设 计 | | | | 标 准 化 | | | | | |
| 校 对 | | | | | | 阶 段 标 记 | 重 量 | 比 例 | 0X188T.1-4 |
| 审 核 | | | | | | | 1.46 | 4:5 | |
| 工 艺 | | | | 批 准 | | 版本: | | | |

GB/T 1804-

6.3



									Q235A	宁波奥德普电梯部件有限公司					
标记 处数 分 区 文件更改 登 名 年月日									短轴杆						
设计															
校对									阶段标记			重量		比例	
审核									1.25			1:1		0X188T.2-1	
工艺									版本:						

基本尺寸	0~6	6~30	30~120	120~400	400~1000	1000~2000	2000~4000
公差	0.1	0.2	0.3	0.5	0.8	1.2	2.0

Technical drawing of a mechanical part, showing front and side views with dimensions.

Front View (Top):

- Overall width: 25
- Width of the central circular feature: 12.5
- Height of the central circular feature: 15
- Overall height: 30
- Material specification: 13x18 (indicated in a red box with an arrow pointing to the central feature)
- Right side features:
 - Top diameter: $\phi 10$
 - Height from base to top of right side: 28
 - Height of the right side flange: 16
 - Bottom diameter: $\phi 8$
 - Base thickness: 3

Side View (Bottom):

- Overall length: $L=315$
- Distance from left end to the start of the main body: 40
- Height of the main body: 9
- Length of the main body: 100
- Distance from the end of the main body to the right side: 45
- Height of the right side flange: 12
- Distance from the right side flange to the right end: 40
- Height of the right end: 8
- Overall height of the right end: 24

Technical drawing of a mechanical part, likely a bracket or support. The drawing includes the following dimensions and features:

- A horizontal dimension of 40 units is indicated at the top.
- A total length dimension of $L=315$ is indicated at the top right.
- The part features a vertical flange with a circular hole on the left end.
- A long, narrow rectangular section extends from the flange.
- A small, angled cutout is present on the top surface of the long section.
- A cylindrical component, possibly a pin or bolt, is mounted vertically on the right end of the long section.

						宁波奥德普电梯部件有限公司											
标记	处数	分 区	文件更改号	签 名	年月日												
设 计			标准化			阶段标记			重量	比例	提拉杆						
校 对									0.16	1:1							
审 核																	
工 艺			批 准			共 张			第 张		OX188T.5						

借(通)用件登记
旧底图总号
底图总号
签 字
日 期