

This drawing is property of SAMAT Engineering. Reproduction, distribution and use are subject to authorisation.

SAM/01.01 - Edition: 00





Table 1. Tolerances for linear dimensions, except rounded edges







4

3

Tolerance class		Permissible deviations from the nominal value d (in mm)							
Type	Description	0,5<d<3	3<d≤6	6<d≤30	30<d≤120	120<d≤400	400<d≤1000	1000<d≤2000	2000<d≤4000
f	thin	±0,05	±0,05	±0,1	±0,15	±0,2	±0,3	±0,5	-
m	medium	±0,1	±0,1	±0,2	±0,3	±0,5	±0,8	±1,2	±2
c	thick	±0,2	±0,3	±0,5	±0,8	±1,2	±2	±3	±4
v	very thick	-	±0,5	±1	±1,5	±2,5	±4	±6	±8

Tolerancias ISO 2768

Table 1. Tolerances for linear dimensions, except rounded edges



材料：钢管 42x8 Q235

00	25/10/2021	SAM	SAM	1ª ed. del plano
Rev.	Created Date	Creat. By	Checked	Change Description
Finishing...				Toler.
				S/ISO 2768-c (mm)
				Format A4
				Scale 1:1
Material: Steel UNE-EN-ISO 683-1 C45 (+N)				
				File. 文件 VL07120002
Title Sincron. Side brace Tip,(联动筒) AODEPU OX-210B. OKFIT CF				Thick. 厚度 (mm) -
				Bending R 折弯半径 (mm)
				Bend.Ded. (mm)
				Weight (kg) 0.20
				Sheet no. 1/1
				Rev.
Project 项目 T22030065c				Part Code: 部件序号 VL07120002 / VKS3Z305001