






XTA2295ACV					001	002	003	004	005	006					
L					148	^b 204 148, 194	^a 194, 148	^b 194, 204	216 ^c	216 ^c					
L1					10	10	10	10	10 ^c	10 ^c					
备 注					^a 含毛刷组件	不含毛刷组件	不含毛刷组件	含毛刷组件	不含毛刷组件	含毛刷组件					
重 量															
					组成件	组成件	组成件	组成件	组成件	组成件					
序号	件 号		名 称	备 注	数量	数量	件号	数量	件号	数量	件号	数量	件号	数量	件号
1	XTA4134JGE		成型槽钢		1		001		002		001		002	003 ^c	003 ^c
2	XTA4040QEF		板件		2										
3	XTA4244AJQ		减震垫		2										
4	XTA4035BML		靴衬		1										
5	XTA4040QEE		板件		2										


技术要求
1 本件为弹性滑动导轨，主要匹配于小载荷乘客电梯，使用速度V≤1.75m/s。
2.适用于轿厢布置。

件 号
OMAXXXXXX

更改记录				更改人		日 期	
更改文件号	标记	处数	更改内容	李蒙	2022.08.27		
PM221006	(A)	3	尺寸备注更改	陈梁玮	2022.12.05		
PM221662	(B)	2	尺寸备注更改	邵金鑫	2023.10.08		
PM231513	(C)	8	增加件号005,006				

警告							
在没有得到本公司许可时,任何单位或个人不得擅自 摘抄、复制或传播本图纸,版权所有,违者必究!							
设计	李 蒙	2022-04-28	标准化	李向翠	2022-04-28	图样标记	数量
校对	施建峰	2022-04-28				S	A
审核	汪杰	2022-04-28				B	1
工艺	王仲福	2022-04-28	批准	童海波	2022-04-28	共 1 页	第 1 页

杭州优迈科技有限公司			
导轨			
XTA2295ACV			



Technical drawing of a mechanical part, likely a bracket or support structure, shown in a cross-sectional view. The drawing includes two vertical dimension lines on the left side. The outer dimension line is labeled 41, indicating the total height of the part. The inner dimension line is labeled 33, indicating the height of the upper section. The part features a central vertical slot, two circular holes (one on each side of the slot), and a complex profile with rounded corners and a hatched section on the right side.

- 1、采用电焊连接，无虚焊、漏焊，焊后除渣；
- 2、表面电镀白锌，厚度不得小于 $8\mu\text{m}$ 。

-03	支撑板	DWG	X310TAA03					-03	2	
-02	盖板	DWG	X310TAA02					-02	2	
-01	安装板	DWG	X310TAA01					-01	1	
-POS	名 称	DEF	图 号	品/群	材 料	涂 装	备 注	-POS	G01	G02

实施日期	
------	--

 宁波奥德普电梯部件有限公司
NINGBO AODEPU ELEVATOR COMPONENTS CO., LTD.

导靴架




1:1

X310TAA00

图幅: A3 Ver 1.1

标记	处数	更改内容	签名	年月日

其余 12.5



技术说明：
1、去除飞边毛刺；
2、防锈处理。

图幅: A3 Ver 1.1

					第一视角			实施日期			 宁波奥德普电梯部件有限公司 NINGBO AODEPU ELEVATOR COMPONENTS CO., LTD.						
					CC 关键特性								Q235/4			安装板	
								设计	<>	<>	标准化						
														阶段标记	重量	比例	X310TAA01
								审核								1:1	
标记	处数	更改内容			签名	年月日	工艺				批准			第 1 张	共 1 张		