




零件图1

不用
电镀




Technical drawing of a mechanical part, oriented vertically. The drawing is crossed out with a large red 'X'. The part has a total length of 150. The left end features a hexagonal hole with a radius of R12.5 and a width of 17. The right end features a circular hole with a diameter of $\phi 40$ and a width of 45. The distance from the right end of the part to the center of the circular hole is 20. The distance from the center of the circular hole to the right end of the part is 40.



借(通)用件登记
旧底图总号
底图总号
签 字
日 期

3	OX188DT.1.2-3	阶梯螺栓	2	六角型材(S=17)	0.02	0.04	
2	OX188DT.1.2-2	拨叉板	2	Q235A/8.0	0.35	0.7	
1	OX188DT.1.2-1	拨叉轴套	1	20#	0.38	0.38	
序号	代 号	名 称	数量	材料说明	重量	总重	备注

												宁波奥德普电梯部件有限公司					
												联动拨叉					
标记	处数	分 区	文件更改号	签 名	年月日							OX188DT.1.2					
设 计			标准化			阶段标记				重量	比例						
校 对										1.12	1:1						
审 核																	
工 艺			批 准			共 张 第 张											



									宁波奥德普电梯部件有限公司					
												联动轴组件		
标记	处数	分 区	文件更改号	签 名	年 月 日									
设 计			标准化			阶段标记		重量	比例	OX188DT.1.3				
校 对														
审 核								1.44	2:3					
工 艺			批 准			共 张 第 张								