



图幅: A3 Ver 1.4

对应表

| 曼隆带升件号     | 对应表          | 系统质量P+Q(kg)   | 额定速度V      | 导轨导向面宽k | 曼隆带升件号     | 对应表          | 系统质量P+Q(kg)   | 额定速度V      | 导轨导向面宽k |
|------------|--------------|---------------|------------|---------|------------|--------------|---------------|------------|---------|
| SDA5120R1  | AX188V046G99 | 1000<P+Q<1100 | 0.25<V<2.5 | 15.88   | SDA5120R21 | AX188V046G98 | 1000<P+Q<1100 | 0.25<V<2.5 | 16      |
| SDA5120R2  |              | 1100<P+Q<1250 |            |         | SDA5120R22 |              | 1100<P+Q<1250 |            |         |
| SDA5120R3  |              | 1250<P+Q<1400 |            |         | SDA5120R23 |              | 1250<P+Q<1400 |            |         |
| SDA5120R4  |              | 1400<P+Q<1600 |            |         | SDA5120R24 |              | 1400<P+Q<1600 |            |         |
| SDA5120R5  |              | 1600<P+Q<1800 |            |         | SDA5120R25 |              | 1600<P+Q<1800 |            |         |
| SDA5120R6  |              | 1800<P+Q<2000 |            |         | SDA5120R26 |              | 1800<P+Q<2000 |            |         |
| SDA5120R7  |              | 2000<P+Q<2200 |            |         | SDA5120R27 |              | 2000<P+Q<2200 |            |         |
| SDA5120R8  |              | 2200<P+Q<2400 |            |         | SDA5120R28 |              | 2200<P+Q<2400 |            |         |
| SDA5120R9  |              | 2400<P+Q<2600 |            |         | SDA5120R29 |              | 2400<P+Q<2600 |            |         |
| SDA5120R10 |              | 2600<P+Q<2800 |            |         | SDA5120R30 |              | 2600<P+Q<2800 |            |         |
| SDA5120R11 |              | 2800<P+Q<3000 |            |         | SDA5120R31 |              | 2800<P+Q<3000 |            |         |
| SDA5120R12 |              | 3000<P+Q<3200 |            |         | SDA5120R32 |              | 3000<P+Q<3200 |            |         |
| SDA5120R13 |              | 3200<P+Q<3400 |            |         | SDA5120R33 |              | 3200<P+Q<3400 |            |         |
| SDA5120R14 |              | 3400<P+Q<3600 |            |         | SDA5120R34 |              | 3400<P+Q<3600 |            |         |
| SDA5120R15 |              | 3600<P+Q<3800 |            |         | SDA5120R35 |              | 3600<P+Q<3800 |            |         |
| SDA5120R16 |              | 3800<P+Q<4000 |            |         | SDA5120R36 |              | 3800<P+Q<4000 |            |         |

曼隆带升电梯会签图

图号 SDA5120R

件号 SDA5120R1mb, 21v3b

会签人 过嘉明

PC号 PC-0926

日期 2025.11.29

共页 第2页



宁波奥德普电梯部件有限公司  
NINGBO AODEPU ELEVATOR COMPONENTS CO., LTD.

|    |    |      |  |  |         |          |     |                                                              |        |           |       |       |     |           |
|----|----|------|--|--|---------|----------|-----|--------------------------------------------------------------|--------|-----------|-------|-------|-----|-----------|
|    |    |      |  |  | 第一视角    | 实施日期     |     | 宁波奥德普电梯部件有限公司<br>NINGBO AODEPU ELEVATOR COMPONENTS CO., LTD. |        |           | 安全钳   |       |     |           |
|    |    |      |  |  | CC 关键特性 |          |     |                                                              |        |           |       |       |     |           |
|    |    |      |  |  | 设计 过嘉明  | 25.4.25  | 标准化 |                                                              |        |           | 阶段标记  | 重量    | 比例  | AX188V046 |
|    |    |      |  |  | 审核 过嘉明  | 25.04.25 |     |                                                              |        |           |       |       | 1:3 |           |
| 标记 | 处数 | 更改内容 |  |  | 签名      | 年月日      | 工艺  |                                                              | 批准 过嘉明 | 2025.4.25 | 第 2 张 | 共 2 张 |     |           |

L01 (中英文铭牌)

54

**安全钳**  
**Safety Gear**

| 型号<br>TYPE                     | 适用质量范围<br>APPLICABLE MASS RANGE | kg                      |
|--------------------------------|---------------------------------|-------------------------|
| 额定速度范围<br>RATED SPEED RANGE    | m/s                             | 证书编号<br>CERTIFICATE NO. |
| 适用导轨宽度<br>WIDTH OF GUIDE RAILS | mm                              | 产品编号<br>PRODUCT NO.     |
| 质量调试值<br>DEBUGGING MASS        | kg                              | 制造日期<br>PRODUCT DATE    |

宁波奥德普电梯部件有限公司  
 NINGBO AODEPU ELEVATOR COMPONENTS CO.,LTD.  
 浙江省慈溪市龙山镇龙山工业区龙镇大道  
 No.296,Longzhen Avenue,Longshan Industrial Zone,Longshan Town,Cixi City,Zhejiang Province

85

L02 (全英文铭牌)

54

**Safety Gear**

| TYPE                 | APPLICABLE MASS RANGE | kg              |
|----------------------|-----------------------|-----------------|
| RATED SPEED RANGE    | m/s                   | CERTIFICATE NO. |
| WIDTH OF GUIDE RAILS | mm                    | PRODUCT NO.     |
| DEBUGGING MASS       | kg                    | PRODUCT DATE    |

NINGBO AODEPU ELEVATOR COMPONENTS CO.,LTD.  
 No.296,Longzhen Avenue,Longshan Industrial Zone,Longshan Town,Cixi City,Zhejiang Province

85

曼隆蒂升电梯会签图  
 图号 SDA5120R  
 件号  
 会签人 王嘉明  
 PC号 PC-0926  
 日期 2025.4.29  
 共 3 页



### 技术说明:

标准铭牌借用 适用于曼隆蒂升件号SDA5120R SDA5120S

1. 所有文字采用“黑体”字体, 字体大小根据实际空间位置调整;
2. 采用黑色底, 文字印制呈现白色;
3. 制造日期格式为完整的“年.月.日”, 下点“.”分开数字(例2021.01.01);
4. 本铭牌适用于奥德普品牌OX-188/188A安全钳, 按产品状态匹配对应的中英文铭牌或全英文铭牌。

|    |    |      |  |  |        |
|----|----|------|--|--|--------|
|    |    |      |  |  |        |
|    |    |      |  |  |        |
|    |    |      |  |  |        |
|    |    |      |  |  |        |
| 标记 | 处数 | 更改内容 |  |  | 签名 年月日 |

|      |      |          |                                                                     |
|------|------|----------|---------------------------------------------------------------------|
| 第一视角 |      | 实施日期     | <b>宁波奥德普电梯部件有限公司</b><br>NINGBO AODEPU ELEVATOR COMPONENTS CO., LTD. |
| CC   | 关键特性 |          |                                                                     |
| 设计   | 李民生  | 25.4.25  | 标准化                                                                 |
| 审核   | 刘品   | 25.04.25 |                                                                     |
| 工艺   |      |          | 批准 何江 2025.4.25                                                     |
|      |      | 阶段标记     | 重量 比例                                                               |
|      |      |          | 1:1                                                                 |
|      |      | 第 1 张    | 共 1 张                                                               |

安全钳铭牌

OX-188-MP

图幅: A4 Ver 1.4